



- NOTES:
1. ALL DIMENSIONS ARE IN MMS, WITH INCH IN PARENTHESIS.
 2. RECOMMENDED PC-BOARD-HOLDS DIAMETER: $\phi 1.20\text{mm}$ to 1.40mm ; ($\phi 0.047$ " to $\phi 0.055$ ").
 3. N=NUMBER OF CONTACTS.
 4. SCREW TYPE : "-" OR "+". PLATING NI OR ZINC
 5. WIRE RANGE: 14-22 AWG.
 6. THE PART NO. DETAIL SEE DWG NO.=025-0000-014.
 7. ROHS Directive compliance.
(Lead-Free)Wave solder capable
to 265°C, 10±0.5sec.

DESIGN UNITS <input checked="" type="checkbox"/> mm <input type="checkbox"/> INCH		NAME: T/B 320 SERIES 5.0 Pitch		 NEXTRONICS ENGINEERING CORP.	
GENERAL TOLERANCES: (UNLESS SPECIFIED)		PART NO: SEE TABLE		TITLE: ASSEMBLY DWG. C	
	mm	INCH	APPD:		DWG. NO: 010-0000-058
4 PLACE	± .**	± .**	CHKD:		
3 PLACE	± .**	± .**	DRAWN: 肖海洋 5/25.06		SCALE: 4 / 1
2 PLACE	± 0.20	± .**			SHEET: 1 / 1
1 PLACE	± 0.15	± .**			REV.: B
ANGULAR:	X° ± .**	X° ± .**			

REV.	ECN. NO.	DESCRIPTION	DATE	DRAWN	APPD